
The Next Crisis: Elder Oral Health Care



Kathy Phipps, DrPH Data Coordinator ASTDD


Why is this topic important?





The Graying of America

- Number of people 65+ in the United States
 - 2006 36 million
 - 2030 72 million
- Proportion of the population 65+
 - 2000 12%
 - 2030 20%
- Proportion of the population 85+
 - 1980 1%
 - 2030 3%




Source: U.S. Census Bureau, Decennial Census, Population Estimates and Projections.


The Graying of America

Life expectancy

- 80 year old white male is now expected to live another 8 years
- 90 year old white male is expected to live another 4 years




Where do Seniors Live?



Source: Federal Interagency Forum on Aging Related Statistics

Long-Term Care Projections



Source: Congressional Budget Office (1999)

Decline in Edentulism

- Decrease in edentulism
 - 1985-86 41% had no natural teeth
 - 2008 19% had no natural teeth



make you self-conscious when you should be well-poised? well-poised? The thing to do is—get Polident—a pow-der that magically dissolves away all tarnish, stain and food-deposits from plates and re-movable bridges—without brushing, acid or

danger!

Grateful users praise it Leading dentists everywhere recommend Polident. Tens of thousands of grateful users call it a blessing. Long-lasting can only 30¢ at any drug store. And your money back if you are not delighted. Hudson Products, Inc., 220 What a difference in the way your plate West 19th St., New York, N. Y.

False Teeth can't be cleaned with make-shift, inefficient methods!

tough, dingy, almost invisible ilm forms on plates and bridge t absorbs impurities like a spong outh washes, ordinary pa wders are not desi

POL

false teeth! Household cleanse hase teern: Household cleansers can ruin them. No brush can reach the danger-spots. Yet Polident cleans and *purifies* plates—like new—with safety!

Cleans, Purifies WITHOUT BRUSHING! POLIDENT

People are Living Longer with Teeth

But having teeth doesn't always mean healthy teeth ...






Edentulism is Still an Issue







Note: The income categories are derived from the ratio of the family's income (or an unrelated individual's income) to the corresponding poverty threshold. Being in poverty is measured as income less than 100 percent of the poverty threshold. Low income is between 100 percent and 199 percent of the poverty threshold. Middle income is between 200 percent and 399 percent of the poverty threshold. High income is 400 percent or more of the poverty threshold.

Reference population: These data refer to the civilian noninstitutionalized population.


Source: U.S. Census Bureau, Current Population Survey, Annual Social and Economic Supplement, 1975-2007.

OH Surveillance & Older Adults

- Many states have voiced an interest in monitoring oral disease among older adults
- How do we monitor oral health in older adults?
 - BRFSS
 - Number of teeth
 - Dental visit
 - Teeth cleaning
 - Other non-clinical surveys?
 - Clinical surveys?

Sampling Issues Where do we find seniors?





Let's Go To The Senior Center!



Sampling Issues

- Almost impossible to obtain a statewide representative sample of older adults
- May need to opt for convenience sample
 - What population group?
 - The oldest old?
 - Institutionalized adults?
 - At risk adults?

Results will Vary by Group





BSS for Older Adults

- Joint effort between ASTDD's
 - Healthy Aging Committee
 - Data Committee
 - Outside experts
- Primary contacts:
 - Sangeeta Wadhawan
 - Kathy Phipps
- Anticipated completion date August 2010

Suggested Population Groups



Congregate Meal Sites

Long-Term Care Facilities



Data Collection Methods

Congregate Meal Sites

- Good cognitive function
- Questionnaire
 - AND/OR
- Clinical screening

Long Term Care Facilities

- Limited cognitive function
- Clinical screening
 - Key questions only
 - Pain
 - Dentures

NOTE: The Older Adult BSS will be non-invasive.

Clinical Indicators - Draft

Recommended

- Number of natural teeth
- Denture status
- Untreated decay
- Suspicious soft tissue lesions
- Treatment urgency

Optional

- Functionality of dentition
 - opposing posterior teeth
- Tooth mobility
- Root tips
- Substantial oral debris
- Severe dry mouth

Clinical indicators will range from simple to more complex.

Question Domains - Draft

Recommended

- Self-Reported Oral Health/Pain
- Frequency of Dental Visits
- Demographics

Optional

- Insurance
- Access to Dental Care
- Oral Cancer Screening
- Dry Mouth

The Older Adult BSS Manual will include specific questions.

