

# FLOSS

### (Facilitating Lifetime of Oral Health Sustainability for Substance Use Disorder Patients)

Drs. Glen R. Hanson and Bryan Trump, P.I.s (University of Utah School of Dentistry) Shawn McMillan (1<sup>st</sup> Step House)



### Background:

- Substance Use Disorder Patients (SUDP) have high incidence of caries and other consequences of poor oral health
- •SUDP require greater access to dental care to reduce frequent emergency visits and relieve oral health, medical & mental health burdens
- •Concluded that "addiction treatment providers should consider dental as associated comorbidities requiring linked treatment plans"

#### **Objectives:**

Train Utah's current and future dental workforce to the oral health needs of medically complex SUDP
Train Case Managers and Certified Peer Support Specialists (CPSS) in the importance of oral health care



 Establish a unique/collaborative academic and direct service program between U of U SOD) and local SUDPtreatment agencies (1<sup>st</sup> Step House and Odyssey House)

## Details

- Provide stratified services to ~300 SUDP and ~100 minor dependents as integral part of their SUD treatment-with intent to establish a sustainable 'dental home'
- Measure outcomes to assess value and refine model



### **HRSA Focus Areas**

•Develops training programs for oral health providers in advanced roles, i.e., train dental workforce to provide dental needs to medically complex SUDPs

•Establish/expand oral health services by work closely with SUDP treatment agencies to expand oral health care into treatment agencies for SUD

 Integrate oral and primary care medical (i.e., SUD treatment) underserved communities by cross-training the workers in each of these two disciplines.



### Outcome (comparison of FLOSS vs. Non-FLOSS Clients)

**NOTE:** similar demographics (from 1<sup>st</sup> Step House)

	<b>FLOSS</b>	Non-FLOSS	
Total clients:	84	370	
<u>Drug of</u> Preference			
Heroin	45%	22%	
Other opiates	1%	4%	
METH	22%	30%	
Alcohol	22%	30%	
Cocaine	2%	4%	



Treatment featur	es	
	FLOSS	Non-FLOSS
Length		
Median	170 d	109 d
Mean	200 d	153 d
<u>Treatment</u>		
<u>complete</u>	<i>52%</i>	46%
<u>Discharge</u>		
Reason		
-left against		
advice	19%	<b>29%</b>
-Treatment		
complete	52%	46%



#### Residence

	<b>FLOSS</b>		<u>Non-FL</u>	Non-FLOSS	
	Admission	<u>Discharge</u>	<u>Admission</u>	<u>Discharge</u>	
Incarcerated	21%	2%	19%	5%	
Private Res.	43%	74%	56%	71%	
Homeless/Stre	et 21%	7%	16%	10%	

### **Conclusion**:

- FLOSS clients better in every measurement, but particularly the duration of treatment
- Based on proven correlation between duration of treatment and recidivism, it is anticipated that FLOSS clients will have a lower rate of relapse (ref.: Hser et al. "Predictors of Short-term outcomes..." Eval. Programs Plann. 30 [2008] 187)